

SSG4800J*

SAFETY DATA SHEET

1 Product and company identification

Name of chemical (Product name): SSG4800J*

Manufacturer/Importer/Distributor Information : Momentive Performance Materials Japan LLC
Akasaka Park Building
5-2-20 Akasaka, Minato-ku
Tokyo Japan

Contact person : commercial.services@momentive.com

Telephone : +81-3-5544-3100

Telefax : +81-3-5544-3101

Emergency telephone number : +81-3-5544-3111

+81-276-31-4118 (night / weekend)

Responsible Department : Product Stewardship & Compliance Group

2 Hazard(s) identification

GHS classification:

Physical Hazards	Explosives	Classification not possible
	Flammable gas	Not applicable
	Chemically unstable gases	Not applicable
	Aerosols	Not applicable
	Oxidizing gases	Not applicable
	Gases under pressure	Not applicable
	Flammable liquids	Not applicable
	Flammable solid	Classification not possible
	Self-reactive substances and mixtures	Classification not possible
	Pyrophoric liquids	Not applicable
	Pyrophoric solids	Classification not possible
	Self-heating substances and mixtures	Classification not possible
	Substances and mixtures, which in contact with water, emit flammable gases	Classification not possible
	Oxidizing liquids	Not applicable
	Oxidizing solids	Classification not possible
	Organic peroxides	Classification not possible
	Corrosive to metal	Classification not possible
Health Hazards	Acute toxicity (Oral)	Not classified
	Acute toxicity (Dermal)	Not classified
	Acute toxicity (Inhalation - gas)	Not applicable
	Acute toxicity (Inhalation - vapor)	Not classified
	Acute toxicity (Inhalation - dust and mist)	Not classified
	Skin Corrosion/Irritation	Classification not possible
	Serious Eye Damage/Eye Irritation	Classification not possible
	Respiratory sensitizer	Classification not possible
	Skin sensitizer	Classification not possible

SSG4800J*

	Germ Cell Mutagenicity	Classification not possible
	Carcinogenicity	Category 1A
	Toxic to reproduction	Classification not possible
	Specific Target Organ Toxicity - Single Exposure	Not classified
	Specific Target Organ Toxicity - Repeated Exposure	Not classified
	Aspiration Hazard	Not applicable
Environmental Hazards	Acute hazards to the aquatic environment	Not classified
	Chronic hazards to the aquatic environment	Not classified
	Hazardous to the ozone layer	Not classified

GHS label elements

Symbol(s):



Signal Word: Danger

Hazard Statement(s): May cause cancer.

Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

Main symptoms and emergency overview

Main symptoms: No data available.

Emergency Overview: No data available.

3 Composition/information on ingredients

Chemical nature: Silicone compound

SSG4800J*

Mixtures

Chemical Identity	CAS number	Concentration*
Organotitanium compound	Trade secret	1.0 - 10%
Carbon Black	1333-86-4	0.1 - 1.0%
QUARTZ	14808-60-7	0.1 - 1.0%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information:

** A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4 First-aid measures

Inhalation:	If inhaled, move victim to fresh air and seek medical attention.
Eye contact:	Flush thoroughly with water for at least 15 minutes. Get medical assistance.
Skin Contact:	Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.
Ingestion:	If swallowed, do NOT induce vomiting. Give a glass of water. Do not give victim anything to drink if he is unconscious. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms:	No data available.
Hazards:	No data available.

5 Fire-fighting measures

Extinguishing media:	Extinguish with foam, carbon dioxide or dry powder.
Unsuitable extinguishing media:	No data available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Keep unprotected persons away. Remove sources of ignition. Use personal protective equipment. Keep upwind.
Environmental Precautions:	Do not allow runoff to sewer, waterway or ground.

SSG4800J*

Methods or materials for containment and cleaning up: Put in an empty container for recovery after preventing spill by sand or sandbags, if the amount of spill is large. Put in an empty container for recovery after wiping or soaking up in an inert material, if the amount of spill is small.

Prevention of secondary hazards: No data available.

7 Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): Provide adequate general and local exhaust ventilation. Eyewash bottle with clean water.

Safe handling advice: Keep away from sources of ignition - No smoking. Ground container and transfer equipment to eliminate static electric sparks. Protect from moisture. Seal opened containers and use up as soon as possible. Alcohol released during curing. Wear appropriate personal protective equipment. Use only in well-ventilated areas.

Contact avoidance measures: No data available.

Hygiene measures: No data available.

Storage

Safe storage conditions: Store in a dark, cool place indoors, with container tightly closed.

Safe packaging materials: No data available.

8 Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits:

Chemical name	Type	Exposure Limit Values	Regulation Sources
Carbon Black - Respirable dust.	TWA	1 mg/m3	Japan. OELs - JSOH. (Japan Society of Occupational Health: Advisory Opinion on Permissible [Exposure] Limits) (05 2014)
Carbon Black - Total dust.	TWA	4 mg/m3	Japan. OELs - JSOH. (Japan Society of Occupational Health: Advisory Opinion on Permissible [Exposure] Limits) (05 2014)
QUARTZ - Respirable dust.	CEILING	0.03 mg/m3	Japan. OELs - JSOH. (Japan Society of Occupational Health: Advisory Opinion on Permissible [Exposure] Limits) (05 2014)

Personal protective equipment (ppe)

SSG4800J*

Respiratory Protection:	Gas mask with organic vapor canister and dust and mist filter.
Eye Protection:	Safety glasses with side shields
Hand Protection:	No data available.
Skin and Body Protection:	Chemical resistant clothing Wear rubber boots.

9 Physical and chemical properties

Appearance

Physical state:	solid
Form:	Paste
Color:	Black
Odor:	Sweet
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	> 93.3 °C (estimated)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	Not applied
Density:	ca. 1.42 g/cm ³
Vapor density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	Insoluble
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	> 7 mm ² /s (40 °C)

SSG4800J*

10 Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Keep away from moisture. Keep away from heat, sparks and open flame.
Incompatible Materials:	The catalysis of strong acids or bases cause polymerization or decomposition.
Hazardous Decomposition Products:	Carbon dioxideSilicon dioxide.Formaldehyde. This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

11 Toxicological information

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral
Product: Not classified for acute toxicity based on available data.

Dermal
Product: Not classified for acute toxicity based on available data.

Inhalation
Product: Not classified for acute toxicity based on available data.

Repeated dose toxicity
Product: No data available.

Skin Corrosion/Irritation
Product: No data available.

Serious Eye Damage/Eye Irritation
Product: No data available.

Respiratory or Skin Sensitization
Product: No data available.

SSG4800J*

Carcinogenicity

Product: No data available.

Japan Society for Occupational Health: Carcinogen:

Carbon Black

QUARTZ

Japan. ISHL Designated Carcinogen:

No carcinogenic components identified

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Carbon Black

QUARTZ

ACGIH Carcinogen List:

US. National Toxicology Program (NTP) Report on Carcinogens:

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12 Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment

SSG4800J*

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Chronic hazards to the aquatic environment

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Organotitanium compound No data available.

Carbon Black No data available.

QUARTZ No data available.

Hazardous to the ozone layer: No data available.

SSG4800J*

Other adverse effects: No data available.

13 Disposal considerations

General information: none

Disposal methods: This product falls under Industrial Waste (Waste Oil) based on Wastes Disposal and Public Cleansing Law. Dispose of in accordance with this law and local regulations.

Contaminated Packaging: No data available.

14 Transport information

International regulations

IMDG - International Maritime Dangerous Goods Code

Not regulated.

IATA

Not regulated.

National Regulations

Domestic Standard: In compliance with domestic law.

15 Regulatory information

Law concerning Pollutant Release and Transfer Register

PRTR and Promotion of Chemical Management Law, new regulated substances (Cabinet Order No. 356, 2008):

Specified Class 1 substance(s): Not applicable

Class 1 Substance(s): Not applicable

Class 2 Substance(s): Not applicable

Industrial Safety and Health Act:

Article 57-2 Regulated Substance(s): Carbon black, Crystalline Silica,

Article 57 Regulated Substance(s) subject to labeling: Crystalline Silica,

ISHL Organic Solvents

ISHL Designated or Specified Chemical Substances

Poisonous and Deleterious Substances Control Act:

Specified poisonous substance(s):

Main law: Not applicable

SSG4800J*

Cabinet order: Not applicable

Poisonous Substance(s):

Main law: Not applicable

Cabinet order: Not applicable

Deleterious Substance(s):

Main law: Not applicable

Cabinet order: Not applicable

High Pressure Gas Safety Law

Not applicable

Fire Service Law:

Designated Combustible material (Combustible Solid) No fire

Japan CSCL: Priority Assessment Chemical Substances: Not applicable

Act on Prevention of Marine Pollution and Maritime Disaster: Not applicable

Inventory Status

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	n (Negative listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan. Taiwan inventory (CSNN):	y (positive listing)	Remarks: None.

16 Other Information

Revision Information: ARGHS_JP
Issue Date: 05/31/2018
SDS No.:

SSG4800J*

Disclaimer:

Notice to reader

This material is developed and manufactured for industrial applications only. For medical or other special applications, use after performing safety testing on the product and confirming safety. Never use for human applications such as implant, impregnation, or where a residue may possibly remain in the body.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Literature Reference: No data available.